

Manifest Address:

Lone Star Greencastle WDF * 3301 South County Road 150 West * Greencastle, Indiana 46135 * 765-653-8816

Lone Star Industries, Inc. * 2524 South Sprigg Street * PO Box 968 * Cape Girardeau, Missouri 63702 * 573-335-8878

Please review and complete the attached three (3) pages completely and accurately. Submit the Profile and RMP/DHS page with a representative sample of the material you would like us to consider under the "solvent continued use" program. You can submit the application and sample to the address above.

Page 1. Profile

All questions must be answered completely and accurately about the material you would like considered. We require a separate profile and SDS for each stream generated. Please include any outside analytical that may be available, including any available SDS's. Be sure to sign and date the profile before submission.

Page 2. RMP/DHS List

It is Buzzi's intention to maintain compliance with all environmental regulations. Each plant would be subject to EPA's Risk Management Program (RMP), and Department of Homeland Security (DHS) requirements if specified quantities of toxic and flammable chemicals were stored at the plant site. There is a maximum limit to the quantity of certain materials that can be stored without triggering the specific RMP/DHS requirements. Review the listed chemicals and check the appropriate box at the bottom of the RMP/DHS form. Advance notice is required of any RMP/DHS chemicals shipped to a Buzzi facility that exceeds the specified limits. Be sure to sign and date the RMP/DHS List sheet before submission.

Page 3. Solvent Continued Use Specifications

Detailed specifications for materials that might qualify for the "Solvent Continued Use" program.

Page 4. Credit Application

Please complete the Buzzi Unicem USA Credit Application if you are not currently approved to ship materials to the Alternative Fuels Facility.

Profile No. **TBD**
(This number must appear on manifest)**Solvent Continued Use Profile**

Date Received _____

A. GENERATOR INFORMATIONGENERATOR NAME: _____
USEPA ID#: _____
FACILITY ADDRESS: _____

FACILITY CONTACT: _____
EMAIL ADDRESS: _____
PHONE: _____ FAX: _____
EMERGENCY 24 HR #: _____**B. BILLING INFORMATION (IF DIFFERENT)**COMPANY NAME: _____
BILLING ADDRESS: _____

BILLING CONTACT: _____
SALES CONTACT: _____
EMAIL ADDRESS: _____
PHONE: _____ FAX: _____
EMERGENCY 24 HR #: _____**C. MATERIAL INFORMATION**

(SDS is required)

☐ Non-Hazardous ☐ DOT Hazardous Material

DOT Description: _____

What are the two primary constituents? _____

Process description: _____

Method of Shipment: ☐ Bulk Tanker Truck ☐ Other Specify if other: _____Annual quantity _____ ☐ On Going Business ☐ One Time Event**D. CHEMICAL AND PHYSICAL PROPERTIES**

Color _____ Odor _____ Flash Point _____ Viscosity _____ cps pH _____

Estimated heat value _____ (Btu/lb) Give the estimated concentration of the following metals (Total)

Estimated water content _____ % Lead (Pb) _____ ppm Cadmium (Cd) _____ ppm

Estimated chlorine content _____ % Chromium (Cr) _____ ppm Arsenic (As) _____ ppm

Estimated concentration of sulfur _____ % Mercury (Hg) _____ ppm Beryllium (Be) _____ ppm

Estimated weight _____ lbs/gal Antimony (Sb) _____ ppm Barium (Ba) _____ ppm

Will material be heated? ☒ Yes ☐ No If yes, at what temperature _____ °F

Does this waste contain benzene which is required to be controlled and treated in accordance with the provisions of 40 CFR 61 Subpart FF (61.342(f)(2)?

☐ Yes ☐ No If yes, what is the average benzene concentration _____ ppm**E. CHEMICAL COMPOSITION (List all organic components in the waste stream. Account for 100%)**

Compound (CAS # If Available)	Percentage	Compound (CAS # If Available)	Percentage
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

SDS MUST ACCOMPANY PROFILE**WARRANTIES AND CERTIFICATIONS**The following substances *will not* be accepted under the "Solvent Continued Use" program by Buzzi Unicem USA.

>250 cps viscosity	>25% Suspended solids	>60% Water	DOT Corrosive materials
Biological wastes	TSCA regulated materials	Reactive cyanides	Explosives
Infectious wastes	Low Btu materials (<2500 Btu/lb)	Reactive sulfides	> 4 ppm Mercury
Radioactive materials	PCB regulated materials (>40 ppm)	Pyrophoric materials	Incompatible Materials

Generator certifies that materials submitted under the "Solvent Continued Use" Program are as generated and have not been further processed from its original use.

The term PCB's are used in this warranty to refer to any chemical substances and combinations of substances that contain 50 ppm or greater of PCB's as defined in 40 CFR 261.3. (s), including any by-product, in a process which contains less than 50 ppm PCB's because of any dilution. It is unlawful for Alternate Fuels to receive PCB's. Any generator and transporter who knowingly or willfully ships PCB's to our facility will be subject to civil penalties and or criminal prosecution. The generator hereby warrants that the materials transferred to Lonestar Industries will not contain 50 ppm or greater of PCB's when measured in each container or vessel: that the material is not contaminated with PCB's from a source containing 50 ppm or greater PCB's, and hereby agrees to indemnify and hold Buzzi Unicem USA harmless from any costs, damages or other liability from the breach of this warranty. The sample submitted is representative of the waste stream, any significant changes to the above described waste stream will require notification and a new Waste Profile Sheet to be submitted prior to shipment.

By signing below, the generator or its duly authorized representative, hereby represents and warrants that to the best of its knowledge the information contained herein is true, accurate and complete in all respects and that all known hazards have been disclosed.

Name: (Please print) _____

Title: _____

Signature: _____

Date: _____

CAS	Compound	Synonym	Notification Threshold (check box) (Check box)	Notification Threshold (lb)	Rejection Threshold (lb)
57-14-7	1,1-Dimethylhydrazine		<input type="checkbox"/>	3.750	10.000
504-60-0	1,3-Pentadiene		<input type="checkbox"/>	2.500	10.000
75-07-0	Acetaldehyde		<input type="checkbox"/>	2.500	10.000
107-02-8	Acrolein	2-Propenal	<input type="checkbox"/>	1.250	5.000
107-13-1	Acrylonitrile	2-Propenenitrile	<input type="checkbox"/>	5.000	10.000
107-18-6	Allyl alcohol	2-Propen-1-ol	<input type="checkbox"/>	3.750	15.000
75-15-0	Carbon disulfide		<input type="checkbox"/>	5.000	20.000
67-66-3	Chloroform	Trichloromethane	<input type="checkbox"/>	5.000	20.000
542-88-1	Chloromethyl ether	Oxybis[chloro] methane	<input type="checkbox"/>	250	1.000
107-30-2	Chloromethyl methly ether	Chloromethoxy methane	<input type="checkbox"/>	1.250	5.000
4170-30-3	Crotonaldehyde	2-Butenal	<input type="checkbox"/>	5.000	10.000
460-19-5	Cyanogen	Ethanedinitrile	<input type="checkbox"/>	2.500	10.000
506-77-4	Cyanogen chloride		<input type="checkbox"/>	2.500	10.000
124-40-3	Dimethylamine	N-methyl-methanamine	<input type="checkbox"/>	2.500	10.000
106-89-8	Epichlorohydrin	Chloromethyl oxirane	<input type="checkbox"/>	5.000	20.000
75-00-3	Ethyl chloride	Chloroethane	<input type="checkbox"/>	2.500	10.000
60-29-7	Ethyl ether	1,1'-Oxybis ethane	<input type="checkbox"/>	2.500	10.000
151-56-4	Ethyleneimine	Aziridine	<input type="checkbox"/>	2.500	10.000
75-21-8	Ethylene oxide	Oxirane	<input type="checkbox"/>	2.500	10.000
7782-41-4	Fluorine		<input type="checkbox"/>	250	1.000
50-00-0	Formaldehyde (solution)		<input type="checkbox"/>	3.750	15.000
110-00-9	Furan		<input type="checkbox"/>	1.250	5.000
302-01-2	Hydrazine		<input type="checkbox"/>	3.750	10.000
74-90-8	Hydrocyanic acid		<input type="checkbox"/>	625	2.500
7664-39-3	Hydrogen fluoride/Hydrofluoric acid (conc >= 50%)		<input type="checkbox"/>	250	1.000
7783-06-4	Hydrogen sulfide		<input type="checkbox"/>	2.500	10.000
126-98-7	Methacrylonitrile	2-Methyl-2-propenenitrile	<input type="checkbox"/>	2.500	10.000
74-87-3	Methyl chloride	Chloromethane	<input type="checkbox"/>	2.500	10.000
79-22-1	Methyl chloroformate	Carbonochloridic acid, methylester	<input type="checkbox"/>	1.250	5.000
60-34-4	Methyl hydrazine		<input type="checkbox"/>	3.750	15.000
624-83-9	Methyl Isocyanate	Methane, isocyanato-	<input type="checkbox"/>	2.500	10.000
74-93-1	Methyl mercaptan	Methanethiol	<input type="checkbox"/>	2.500	10.000
13463-39-3	Nickel carbonyl		<input type="checkbox"/>	250	1.000
10102-43-9	Nitric oxide	Nitrogen Oxide	<input type="checkbox"/>	2.500	10.000
75-44-5	Phosgene	Carbonic dichloride	<input type="checkbox"/>	125	500
7803-51-2	Phosphine	Hydrogen Phosphide	<input type="checkbox"/>	1.250	5.000
107-12-0	Propionitrile	Propanenitrile	<input type="checkbox"/>	2.500	10.000
75-55-8	Propyleneimine	2-Methylaziridine	<input type="checkbox"/>	2.500	10.000
509-14-8	Tetranitromethane		<input type="checkbox"/>	2.500	10.000
26471-62-5	Toluene diisocyanate	1,3-Diisocyanatomethyl benzene	<input type="checkbox"/>	2.500	10.000
75-01-4	Vinyl chloride	Chloroethene	<input type="checkbox"/>	2.500	10.000
75-35-4	Vinylidene chloride	1,1-Dichloro ethene	<input type="checkbox"/>	2.500	10.000
108-05-04	Vinyl Acetate Monomer	Acetic Acid Etyonyl ester	<input type="checkbox"/>	3.750	15.000
75-86-5	2-methylactonitrile	P069	<input type="checkbox"/>	ACG	APA
75-36-5	Acetyl chloride	U006	<input type="checkbox"/>	ACG	APA
20859-73-8	Aluminum phosphide	P006	<input type="checkbox"/>	ACG	APA
131-74-8	Ammonium picrate	P009	<input type="checkbox"/>	ACG	5.000
353-50-4	Carbonyl fluoride	U033	<input type="checkbox"/>	12%	45
757-58-4	Hexaethyl tetraphosphate	P062	<input type="checkbox"/>	33,37%	500
628-86-4	Mercury fulminate	P065	<input type="checkbox"/>	ACG	5.000
98-95-3	Nitrobenzene	U169	<input type="checkbox"/>	ACG	100
55-63-0	Nitroglycerine	P081	<input type="checkbox"/>	ACG	5.000
1314-80-3	Phosphorus pentasulfide	U189	<input type="checkbox"/>	ACG	APA
151-50-8	Potassium cyanide	P098	<input type="checkbox"/>	ACG	APA
26628-22-8	Sodium azide	P105	<input type="checkbox"/>	ACG	400
143-33-9	Sodium cyanide	P106	<input type="checkbox"/>	ACG	APA
99-35-4	Trinitrobenzene	U234	<input type="checkbox"/>	ACG	5.000

*ACG A Commercial Grade** § 27.105. ACG refers to any quality or concentration of a chemical of interest offered for commercial sale that a facility uses, stores, manufactures, or ships.

*APA At Placard Amount. DOT regulations identify the amounts See 49 CFR 172.504

(Check the appropriate box below)

- ☐ Waste shipped to Buzzi does not contain any listed RMP/DHS chemicals that exceed any of the above threshold quantities.
- ☐ Waste to be shipped to Buzzi may contain listed RMP/DHS chemicals that exceed the notification threshold quantity. Advance notice is required of any RMP chemicals shipped to Lone Star Alternate Fuels that exceed the above specified limits. Materials that exceed the rejection threshold will not be accepted.

Signature: _____ Date: _____

Company: _____ Title: _____



Solvent Continued Use Program

Truck Heel Removal

1. Requires Pre-Qualification Sample and Buzzi Unicem USA - Material Profile Approval
2. Certified That Material Does Not Have Any Further Processing From It's Original Use
3. Material Must be Sent on DOT Bill Of Lading with Buzzi Approved Profile Number clearly written or typed
4. Material Will Be Rejected if Specifications Are Not Met When Received
5. The product description should reflect that the material is currently used as a rinsing or cleaning product or is employed as an ingredient to make a product or employed in a particular function or application as an effective substitute for a commercial product.
6. Must Meet the Following Specifications:

Any single or combination of industrial solvents

Greater than 40% (<60% Water)

Suspended Solids

Less than 25%

Viscosity

250 Centipoise or less

pH

2-12.5

***Metal Limits (Totals)**

Chromium (Cr)	100 ppm
Lead (Pb)	100 ppm
Arsenic (As)	100 ppm
Cadmium (Cd)	20 ppm
Mercury (Hg)	4 ppm
Beryllium (Be)	0.4 ppm
Barium (Ba)	2000 ppm

*Metals tested on qualification sample.

APPLICATION FOR BUSINESS CREDIT

Name of Firm:			E-Mail Address:		
Street Address:			Phone No:		
Mailing Address:			Fax No:		
City:	State:	Zip:	Credit Limit Requested: \$		
Proprietorship	Partnership	Corporation	LLC		
Name(s) of:	Owner	Partners	Officers		

FINANCIAL INFORMATION
Trade References:

1 Name:	4 Name:
Address:	Address:
City/State/Zip:	City/State/Zip:
Phone: Fax:	Phone: Fax:
2 Name:	5 Name:
Address:	Address:
City/State/Zip:	City/State/Zip:
Phone: Fax:	Phone: Fax:
3 Name:	6 Name:
Address:	Address:
City/State/Zip:	City/State/Zip:
Phone: Fax:	Phone: Fax:

Bank References:

Name of Bank:
Address:
City/State/Zip:
Officer:
Phone:
Account #:

FOR BUZZI UNICEM USA USE ONLY

Shipping Location:	
Bank Report Ordered:	
<input type="checkbox"/> Approved <input type="checkbox"/> Not Approved	
By:	
Credit Limit \$	Account #

FOR AND IN CONSIDERATION of the extension of credit for the purchase of goods, materials and services the undersigned applicant(s) agree(s) to:

1. Furnish any additional financial information, including but not limited to current financial statements, personal or corporate, from time to time as requested by the credit grantor.
2. To pay amounts due within stated terms (terms stated on reverse side of each invoice) for materials as purchased and applicant understands that credit can be suspended at option of credit grantor for payments not so paid.
3. To pay service charges (delinquent charges) at a rate of 1.5% per month on any and all balances that are past due per stated terms for payment.
4. Should it be necessary to assign the account balance to a licensed collection agency or attorney for collection, all the subsequent collection charges, legal fees and court cost shall be paid by the applicant.
5. To inform credit grantor of any material changes in the condition of the firm.
6. By signature below, I hereby authorize the release of requested financial information from the above stated references.

NAME OF COMPANY: _____

SIGNATURE: _____ DATE: _____

TITLE: _____